



























OBIEKT : Gorzelnia w Kochcicach				WYKAZ STALI									
ELEMENT : Klatka schodowa wieży				NR RYSUNKU : K9 K10									
WYKONAŁ:				DATA:									
Nr	Stal	φ	KSZTAŁT [ mm ]	DŁUG. PRETA [ m ]	ILOSC [ szt ]	DŁUGOSC OGOLNA [m]							
						A-0 St0S		A-IIIIN RB500W					
						6	8	8	10	12	16	20	25
			<b>Belka B1 szt.7</b>										
1	A-IIIIN	12		5,7	28					159,6			
2	A-0	6		0,9	250	225,0							
			<b>Belka B2 szt.14</b>										
3	A-IIIIN	12		1,85	28					51,8			
2	A-0	6		0,9	130	117,0							
4	A-IIIIN	12		2,3	28					64,4			
			<b>Biegi schodowe</b>										
8	A-IIIIN	8		3,19	11			35,1					
9	A-IIIIN	8		1,72	11			18,9					
10	A-IIIIN	8		2,13	11			23,4					
11	A-IIIIN	6		660	1								
12	A-IIIIN	8		2,74	70			191,8					
13	A-IIIIN	8		1,92	70			134,4					
14	A-IIIIN	8		2,58	70			180,6					
15	A-IIIIN	8		2,62	70			183,4					
16	A-IIIIN	8		1,8	70			126,0					
17	A-IIIIN	8		4,345	70			304,2					
18	A-IIIIN	8		2,18	70			152,6					
19	A-IIIIN	8		2,18	70			152,6					
20	A-IIIIN	8		1,89	70			132,3					
21	A-IIIIN	8		2,88	70			201,6					
22	A-IIIIN	8		2,95	60			177,0					
23	A-IIIIN	8		2,63	60			157,8					
24	A-IIIIN	8		3,1	60			186,0					
25	A-IIIIN	8		1,72	60			103,2					
26	A-IIIIN	8		2,13	60			127,8					
30	A-IIIIN	10		1,32	335			442,2					
31	A-0	6		1,06	126	133,6							

OBIEKT :                    Gorzelnia w Kochcicach				WYKAZ STALI									
ELEMENT :                    Klatka schodowa wieży				NR RYSUNKU : <b>K9 K10</b>									
WYKONAŁ:				DATA:									
Nr	Stal	φ	KSZTAŁT [ mm ]	DŁUG. PRĘTA [ m ]	ILOSC [ szt ]	DŁUGOSC OGOLNA [m]							
						A-0 St0S		A-IIIIN RB500W					
						6	8	8	10	12	16	20	25
32 mb	A-IIIIN	8	_____ 650 mb _____	650	1			650,0					
33	A-IIIIN	8	_____ 1860 _____	1,86	180			334,8					

mb	476	0	3573	442	276	0	0	0
kg	0,222	0,394	0,394	0,616	0,887	1,578	2,465	3,851
kg	105	0	1409	272	245	0	0	0
kg	105		1927					
kg	2032							

UWAGA

WYMIAROWANIE ZBROJENIA na PODSTAWIE WYMIARÓW ZEWNĘTRZNYCH ( metoda A wg PN-EN ISO 3766:2005)