

The drawing includes the following details and specifications:

- Plan View (Top):** Shows a rectangular slab with dimensions 430 cm by 50 cm. Reinforcement includes 2#16 bars along the top edge, 2#16 bars along the bottom edge, 1#16 bar in the center, and 5#16 bars along the sides. A 30 cm offset is indicated on both ends.
- Elevation View (Middle):** Shows the staircase structure with a total width of 120 cm and a height of 30 cm. It includes a 10 cm offset on the right side. The reinforcement is specified as #12 bars at 10 cm intervals in both directions.
- Detail View (Bottom Left):** Shows a cross-section of the staircase with a width of 30 cm and a height of 24 cm. It includes a 30 cm offset on the left side. The reinforcement is specified as #12 bars at 20 cm intervals.
- Detail View (Bottom Right):** Shows a cross-section of the staircase with a width of 30 cm and a height of 33 cm. It includes a 30 cm offset on the left side. The reinforcement is specified as #12 bars at 20 cm intervals.
- Labels and Notes:**
 - stopa fundamentowa, beton B25, stal AIII** (Foundation step, concrete B25, steel AIII)
 - poz. posadzki** (Floor level)
 - pręty montażowe #10 c0 30 cm** (Installation bars #10 c0 30 cm)
 - #12 co 20 cm** (Reinforcement #12 at 20 cm intervals)
 - strzem. #8 co 20 cm** (Staircase reinforcement #8 at 20 cm intervals)
 - 4#16** (4 reinforcement bars #16)
 - zbrojenie stopy fund: #12 co 10 cm w obu kierunkach** (Reinforcement of the foundation step: #12 at 10 cm in both directions)
 - strop WPS** (Slab WPS)
 - 3#16 odgięte** (3 bent reinforcement bars #16)
 - 2#16** (2 reinforcement bars #16)

| | | | |
|---|----------------|----------------------|---------------|
| "PRO-CAD" | | Nr rys. | |
| Projektowanie w zakresie architektury i planowania przestrzennego 77-300 Człuchów ul. Garbarska 1; tel/fax (59)8341933 | | 13 | |
| Objekt: wypożyczalnia sprzętu wodnego | | | |
| Adres: Dz. nr 500/2, Obręb Wiele, gmina Karsin | | | |
| Temat: szczegóły konstrukcyjne | | stadium PB | skala 1:20 |
| Autor opracowania: | Nr upr. | Data | Podpis |
| mor inż. architekt Lesław Gajda | LIAN/234/23/98 | | |