

Tabela przyłączy kanalizacji sanitarnej dla m. Nowe Boryszewo					
L.p.	Działka - nr	Sx Rz.z/Rz.d/Rz.w-Rz.w1	Dł. przył. (m)	Gy Rz.y/Rz.x	Uwagi - kolizje
1.	128/31	S407 104,80/102,70/102,82	2,20	104,80/102,82	Kabel tel. proj.
2.	128/47	S407a 104,80/102,74/102,84	10,10	104,80/102,95	Proj. kabel NN
3.	128/36	S417 105,20/103,65/103,75	4,70	105,10/103,80	Jw.
4.	224	S417 105,20/103,65/103,75	2,90	105,20/103,78	Jw.
5.	128/40	S415 105,05/103,10/103,20	2,90	105,05/103,23	Jw.
6.	128/45 128/48	S416 105,00/103,30/103,40	4,9	105,00/103,45	Jw.
7.	128/44	S416 105,00/103,30/103,40	4,7	105,00/103,45	Proj. wodociąg + proj. kabel NN
8.	128/39	S408a 105,30/103,10/103,20	5,7	105,30/103,26	Kabel NN ist. + proj.
9.	128/38	S408b 105,50/103,25/103,35	5,7	105,50/103,41	Kabel NN ist. + proj.
10.	128/33 128/44	S408b 105,50/103,25/103,35	6,3	105,50/103,42	Ist. wodociąg D110 + proj. kabel NN
11.	128/32 128/27	S408c 106,00/103,50/103,50	6,2	106,00/103,57	Ist. wodociąg D110
12.	128/37	S418 106,20/103,88/103,98	4,20	106,20/104,02	Wodociąg proj.
13.	128/42	S420 106,50/103,98/104,08	4,20	106,50/104,12	Wodociąg proj.
14.	128/43	S422 106,00/104,37/104,37	4,10	106,00/104,41	-----
15.	126/4	S426a 106,20/104,97	-----	-----	Studnia S426a położo- na na działce i można do niej podłączyć

L.p.	Działka - nr	Sx Rz.z/Rz.d/Rz.w-Rz.w1	Dł. przył. (m)	Gy Rz.y/Rz.x	Uwagi - kolizje
16.	126/3	S426a 106,20/104,97	13,0	106,20/105,10	-----
17.	128/8	S426 106,20/104,95	2,80	106,20/105,10	-----
18.	128/14	S423 106,00/104,10/ 104,20	6,0	106,00/104,26	Proj. kabel. NN
19.	128/19	S419a 106,40/103,95	---	-----	St. na działce- wsp. podł. z dz. 128/4
20.	128/24 128/23	S419a 106,40/103,95/ 104,05	1,60	106,40/104,07	Ist. wodociąg D110
21.	223	S410 107,30/104,40/ 104,50/105,85	6,60	107,30/105,92	Ist. wodociąg D110
22.	128/18	S410 107,30/104,40/ 104,50/105,85	5,5	107,30/105,91	Proj. kabel telef. + Proj. kabel NN
23.	128/17	S411 107,60/105,07/ 105,17/106,30	5,20	107,60/106,35	Jw.
24.	128/12	S411a 108,00/105,34/ 105,44/106,58	7,0	108,00/106,25	Ist. wodociąg D110
25.	128/6	S428 108,25/105,75/ 105,85	12,20	108,25/105,97	Proj. wodociąg
26.	128/5	S428 108,25/105,75/ 105,85/107,73	4,20	108,25/107,10	Proj. kabel NN
27.	128/4	S429 108,50/106,20/ 106,30	5,00	108,50/106,35	-----
28.	128/11	S413a 109,40/105,70/ 105,80/107,73	6,90	109,40/107,80	Ist. wodociąg D110
29.	128/15 128/16	S413 109,40/105,66/ 105,76/107,80	5,20	109,40/107,86	Ist. kabel. NN Proj. kabel tel.
30.	128/21	S427a 108,40/107,10/ 107,15	----	-----	Studnia na działce Proj. wodociąg
31.	128/20	S427a 108,40/107,10	22,50	108,90/107,33	Ist. kabel. NN
x	xx	xx	xx	xx	xx

L.p.	Działka - nr	Sx Rz.z/Rz.d/Rz.w-Rz.w1	Dł. przył. (m)	Gy Rz.y/Rz.x	Uwagi - kolizje
32.	128/22	S427 108,40/106,65/ 106,75	5,60	108,40/106,71	Ist. kabel. NN
33.	144/3 144/1	Do Poi włączenie: 102,65	20,0 D50PE	104,80/103,80	Ist. wodociąg; na dz. 144/3 wł. tłocz. z dz.144/1

**Tabela przyłączy kanalizacji sanitarnej
dla m. Stróżewko**

L.p.	Działka - nr	Sx Rz.z/Rz.d/Rz.w-Rz.w1	Dł. przył. (m)	Gy Rz.y/Rz.x	Uwagi - kolizje
34.	51/15	S471 109,90/107,90/ 108,00	15,50	109,80/108,16	Ist. kabel tel. + przecisk
35.	50/30 50/31	S517 108,80/106,50/ 106,60	6,30	108,80/106,66	Ist. kabel NN
36.	50/26	S517 108,80/106,50/ 106,60	3,70	108,80/106,64	-----
37.	50/27 51/9	S518 109,10/106,80/ 106,90	3,70	109,10/106,94	-----
38.	51/12 51/13	S519 109,50/107,30/ 107,40	6,10	109,50/107,47	-----
39.	50/20 50/29	S533 108,20/106,04/ 106,14	4,30	108,20/106,19	Ist. kabel NN – szt. 2
40.	50/3	S533 108,20/106,04/ 106,14	3,70	108,20/106,18	Ist. kabel NN – szt. 2
41.	50/4	S521 108,30/106,13/ 106,23	6,30	108,30/106,30	-----
42.	50/19	S521 108,30/106,13/ 106,23	3,70	108,30/106,27	-----
43.	50/5	S522 108,55/106,35/ 106,45	6,20	108,55/106,52	-----
44.	50/14	S523 108,75/106,85/ 106,95	6,30	108,75/107,01	-----
45.	50/15 50/34	S524 109,10/106,97/ 107,07	6,30	109,10/107,14	-----

L.p.	Działka - nr	Sx Rz.z/Rz.d/Rz.w-Rz.w1	Dł. przył. (m)	Gy Rz.y/Rz.x	Uwagi - kolizje
46.	50/18 50/22	S524 109,10/106,97/ 107,07	3,70	109,10/107,11	-----
47.	50/23	S525 109,30/107,12/ 107,22	3,70	109,30/107,26	-----
48.	50/16 50/35	S525 109,30/107,12/ 107,22	6,30	109,30/107,29	-----
49.	50/24 51/7 50/12	S526 109,50/107,30/ 107,40	3,60	109,50/107,44	-----
50.	51/18	S532 110,00/108,55/ 108,65	3,90	110,00/108,69	Ist. kabel NN
51.	51/5	S532 110,00/108,55/ 108,65	6,20	110,30/108,72	-----
52.	51/10	S472a 109,80/108,40/ 108,50	1,40	109,80/108,52	-----
53.	51/19	S474 110,60/108,48/ 108,53	15,50	110,30/108,69	Ist. kabel tel.
54.	50/11 51/3	S527 110,50/107,54/ 107,64	3,80	110,50/107,68	-----
55.	50/10	S528 110,30/107,70/ 107,80	3,70	110,30/107,84	-----
56.	50/9	S529 109,80/107,87/ 107,97	3,70	109,80/108,01	-----
57.	50/8	S530 109,70/107,92/ 108,02	3,60	109,70/108,06	-----
58.	50/7	S531 109,60/108,00/ 108,10	4,40	109,60/108,15	-----
59.	50/6	S531 109,60/108,00/ 108,10	5,40	109,60/108,16	-----
60.	51/4	S476 111,60/108,87/ 108,98/109,55	14,0	111,20/109,70	Ist. kabel tel.
61.	79	S473 110,10/108,37	---	-----	Studnia S473 na działce 79

L.p.	Działka - nr	Sx Rz.z/Rz.d/Rz.w-Rz.w1	Dł. przył. (m)	Gy Rz.y/Rz.x	Uwagi - kolizje
62.	78/3	S479 112,20/109,35/ 109,45/110,40	----	-----	Studnia S479 na działce 78/3
63.	77/1	S483 114,20/111,60/ 111,67	1,50	114,20/111,69	W drodze wewn. istniejącej
64.	69	S490 116,60/114,45/ 114,55	5,10	116,60/114,60	-----
65.	60/2	S490 116,60/114,45/ 114,55	4,40	116,60/114,60	Ist. wodociąg D90 Ist. kabel NN
66.	61	S491 116,80/114,48/ 114,58	3,90	116,80/114,62	Jw.
67.	70	S492 117,30/114,56/ 114,66	5,10	117,30/115,76	-----
68.	62	S493 117,50/114,61/ 114,71/115,30	3,50	117,50/115,60	Ist. wodociąg D90
69.	71	S494 118,00/114,68/ 114,78/116,60	5,6	118,00/116,70	-----
70.	72	S495 118,00/114,72/ 114,82/116,50	5,60	118,00/116,60	-----
71.	73	S496 118,70/114,83/ 114,93/117,20	5,60	118,70/117,27	-----
72.	63/2	S496 118,70/114,83/ 114,93/117,20	3,80	118,70/117,43	Ist. wodociąg D90
73.	64	S497 118,70/114,85/ 114,95/116,70	3,80	118,70/116,97	Ist. wodociąg D90
74.	74	S498 118,90/114,99/ 115,04/116,05	5,50	118,90/116,11	-----
75.	65	S499 118,60/115,04 115,14/116,60	3,50	118,60/116,98	Ist. wodociąg D90
76.	66	S500 118,10/115,12/ 115,22/116,10	5,20	118,10/116,52	Ist. wodociąg D90
77.	75	S500 118,10/115,12/ 115,22/116,10	4,70	118,10/116,15	-----

L.p.	Działka - nr	Sx Rz.z/Rz.d/Rz.w-Rz.w1	Dł. przył. (m)	Gy Rz.y/Rz.x	Uwagi - kolizje
78.	67	S501 117,90/115,21/ 115,31-116,60	4,0	122,70/120,56	Ist. wodociąg D90
79.	76	S502 117,50/115,25/115,25	2,00	117,50/115,32	-----
80.	80/3	Do S502 włączenie D50PE 117,50/116,20	17,00	116,60/115,30	Ist. wodociąg D40
81.	60/1	S487 117,40/114,60/ 114,70/116,10	3,80	117,40/116,15	-----
82.	18/88	S503 118,00/115,04/ 115,14	8,30	118,00/115,33	Ist. kabel NN Ist. kabel tel.
83.	53	S504 118,05/115,07/ 115,17/116,15	3,80	118,05/116,40	Ist. wodociąg D160
84.	54	S505 118,10/115,10/ 115,20/116,15	3,90	118,10/116,40	Ist. wodociąg D160
85.	18/2	Włączenie D50PE do S506 118,00/115,16/116,75	7,80	118,00/116,70	Ist. kabel NN Ist. kabel tel.
86.	55	S507 118,00/115,22	----	-----	Budowana studnia Ø1200 na przewodzie istn.
87.	19/2	Włączenie D50PE do S508 117,90/115,27/116,70	9,10	117,50/116,25	Ist. kabel NN Ist. kabel tel.
88.	56	S509 117,50/115,38/ 115,48/115,80	4,40	117,50/115,90	Ist. wodociąg D160
89.	20/1	Włączenie D50PE do S510 117,45/115,44/116,20	8,70	117,45/116,10	Ist. kabel NN Ist. kabel tel.
90.	57	S511 117,40/115,47/ 115,57	3,90	117,40/115,93	Ist. wodociąg D160
91.	19/4	Włączenie D50PE do S512 117,40/115,49/116,20	8,60	117,40/116,10	Ist. kabel tel.
92.	20/2	Włączenie D50PE do S513 117,25/115,61/116,05	8,20	117,25/115,50	Ist. kabel. tel.
93.	58	S513 117,25/115,61/115,71	4,00	117,25/115,75	Ist. wodociąg D160

L.p.	Działka - nr	Sx Rz.z/Rz.d/Rz.w-Rz.w1	Dł. przył. (m)	Gy Rz.y/Rz.x	Uwagi - kolizje
94.	21/2	Włączenie D50PE do S514 117,20/115,68/116,00	7,60	117,20/116,55	-----
95.	59	S515 117,15/115,73	4,30	117,15/115,78	Ist. wodociąg D160
96.	21/3	S594 115,20/112,85/112,95	1,60	115,20/112,97	-----
97.	22/2	S593 115,20/113,00/113,10	1,10	115,20/113,65	-----
98.	22/1	S580 115,70/112,85/112,95- 113,63	12,00	115,70/113,75	-----
99.	80/44	S581 115,00/112,86/112,96- 113,68	2,00	115,00/113,70	kabel NN
100.	80/29	S582 115,10/113,10/112,90- 113,78	2,00	115,10/113,80	kabel NN
101.	23	S584 115,70/114,15/114,25	11,50	115,70/114,45	kabel NN
102.	24	S587 118,40/115,53/116,75	6,00	118,40/116,81	-----
103.	83	S589 119,70/115,91/116,01- 118,31	2,70	119,70/118,34	-----
104.	199/1	S590 119,70/116,11/116,21- 117,77	5,50	119,70/117,83	-----
105.	25/1	S591 119,15/116,30/116,40- 117,57	7,30	119,15/117,65	-----
106.	26	S592 118,60/116,50/116,60- 117,53	7,90	118,60/117,61	-----
107.	80/8	S597 113,90/111,34/111,44- 112,55	4,40	113,90/112,60	wodociąg w110 kabel NN
108.	80/31	S609 114,60/112,60/112,70- 113,30	5,60	114,60/113,36	kabel NN
109.	80/34	S609 114,60/112,60/112,70- 113,30	5,60	114,60/113,36	-----
110.	80/10	S600 114,20/112,80/112,90	3,50	114,20/112,94	wodociąg w110 kabel NN
111.	80/11	S601 114,25/111,68/111,78	4,10	114,25/112,95	kabel NN
112.	80/12	S603 114,10/112,0/112,10- 112,80	5,30	114,10/112,85	kabel NN

Lp.	Działka - nr	Sx Rz.z/Rz.d/Rz.w-Rz.w1	Dł. przył. (m)	Gy Rz.y/Rz.x	Uwagi - kolizje
113.	80/13	S605 115,00/112,40/112,50- 113,71	4,50	115,00/113,76	kabel NN
114.	80/14	S606 116,20/113,70/113,80- 114,90	4,90	116,20/114,95	Kabel NN
115.	80/15	S607 116,80/113,70/113,80- 115,50	5,40	116,80/155,55	kabel NN
116.	80/17	S608 115,50/113,82/113,92	4,90	115,50/114,12	kabel NN
117.	80/35	S613 114,95/112,70/112,80	4,30	114,95/112,85	-----
118.	80/37	S613 114,95/112,70/112,80- 113,63	1,40	114,95/113,65	-----
119.	80/40	S615 113,60/111,70/111,80- 112,30	4,90	113,60/112,35	-----
120.	80/43	S616 114,30/112,28/112,38- 113,01	4,70	114,30/113,06	-----
121.	80/41	S617 114,45/112,38/112,48- 113,15	5,30	114,45/113,20	-----
122.	80/42	S617 114,45/112,38/112,48- 113,15	4,90	114,45/113,20	-----
123.	80/21	S618 114,60/112,49/112,59- 113,29	5,60	114,60/113,35	-----
124.	80/26	S618 114,60/112,49/112,59- 113,30	4,40	114,60/113,35	-----
125.	80/20	S619 114,75/112,65/112,75- 113,44	5,80	114,75/113,50	-----
126.	80/25	S619 114,75/112,65/112,75- 113,45	4,20	114,75/113,50	-----
127.	80/19	S620 114,90/112,79/112,89- 113,59	5,70	114,90/113,65	-----
128.	80/24	S620 114,90/112,79/112,89- 113,60	4,30	114,90/113,65	-----
129.	80/18	S621 114,90/112,90/113,00- 113,59	5,60	114,90/113,65	-----

Lp.	Działka - nr	Sx Rz.z/Rz.d/Rz.w-Rz.w1	Dł. przył. (m)	Gy Rz.y/Rz.x	Uwagi - kolizje
130.	80/23	S621 114,90/112,90/113,00- 113,60	4,40	114,90/113,65	-----
131.	80/22	S622 114,80/113,00/113,10	4,40	114,80/113,35	-----
132.	16	S489b 117,20/115,80/115,90	0,00	-----	przyłącze na terenie działki
133.	10/6	S643 115,20/113,50/113,60	17,20	115,10/113,77	2 x kabel tel. kan. san. tłocz.
134.	10/5	S642 113,90/111,50/111,60- 113,00	16,20	114,40/113,16	kabel tele. kan. san. tłocz.
135.	43/2	S641 112,90/110,50/110,60	0,00	-----	przyłącze na terenie działki
136.	10/3	S640 112,30/109,90/110,00- 111,14	18,90	112,70/111,33	Studnia S645 kabel tel. kan. san. tłocz.
137.	10/2	S645 112,70/111,37/111,30	8,70	112,70/111,40	-----
138.	43/1	S639c 112,30/110,79/109,89	0,00	-----	przyłącze na terenie działki
139.	9/4	S639 111,50/109,30/109,40- 110,25	19,00	111,90/110,44	kabel tele. kan. san. tłocz.
140.	41/2	S638 111,10/107,20/107,30	0,00	-----	przyłącze na terenie działki
141.	9/3	S637 111,00/107,05/107,15- 109,76	17,60	111,20/109,94	kabel tele. kan. san. tłocz.
142.	9/2	S636 110,70/106,95/107,05- 109,08	17,60	110,90/109,56	kabel tele. kan. san. tłocz.
143.	8	S635 110,40/106,77/106,87- 109,19	17,60	110,60/109,37	kabel tele. kan. san. tłocz.
144.	7	S632 109,80/106,18/106,28- 108,18	17,10	109,85/108,55	kabel tele. kan. san. tłocz.
145.	6	S630 109,70/105,91/106,01- 108,17	18,30	109,65/108,35	kabel tele. kan. san. tłocz.
146.	6/2	S628 110,00/105,59/105,69- 109,48	22,00	109,95/109,70	kabel. tele. kan. san. tłocz. wodociąg 110
147.	5	S627 109,80/105,50/105,60- 107,50	22,60	109,90/107,73	kabel tele., kabe; NN kan. san. tłocz, wodociąg 110 przyłącze D200

L.p.	Działka - nr	Sx Rz.z/Rz.d/Rz.w-Rz.w1	Dł. przył. (m)	Gy Rz.y/Rz.x	Uwagi - kolizje
148.	3	S626 109,70/105,44/105,54- 108,58	21,70	110,35/108,80	kabel tele. kabel NN, wodociąg 110, kan. san. tłocz.
149.	1	S623 107,70/106,40/106,50	22,90	108,20/106,93	kabel tele. wodociąg 110 kabel NN
Tabela przyłączy kanalizacji sanitarnej dla m. Stróżewko – osiedle WSPÓLNY DOM					
150.	18/34	S546 114,00/111,50/ 111,60	7,10	114,00/111,70	Ist. sieć gazowa D63 Ist. kable NN Ist. kabel tel.
151.	18/82	S546 114,00/111,50/ 111,60	4,90	114,00/111,65	Ist. sieci: wodoc. + gaz + telef. + kabel NN
152.	18/33	S547 114,05/111,53/ 111,63	7,20	114,05/111,72	Ist. sieć gazowa D63 Ist. kable NN Ist. kabel tel.
153.	18/81	S547 114,05/111,53/ 111,63	4,90	114,05/111,70	Ist. sieci: wodoc. + gaz + telef. + kabel NN
154.	18/32	S548 114,12/111,60/ 111,70	7,20	114,12/111,80	Ist. sieć gazowa D63 Ist. kable NN Ist. kabel tel.
155.	18/80	S548 114,12/111,60/ 111,70	4,80	114,12/111,75	Ist. sieci: wodoc. + gaz + telef. + kabel NN
156.	18/31	S548a 114,12/111,64/ 111,74	7,30	114,12/111,84	Ist. sieć gazowa D63 Ist. kable NN Ist. kabel tel.
157.	18/79	S548a 114,12/111,64/ 111,74	4,80	114,12/111,80	Ist. sieci: wodoc. + gaz + telef. + kabel NN
158.	18/30	S549 114,13/111,70/ 111,80	7,30	114,13/111,90	Ist. sieć gazowa D63 Ist. kable NN Ist. kabel tel.
159.	18/78	S549 114,13/111,70/ 111,80	4,80	114,13/111,87	Ist. sieci: wodoc. + gaz + telef. + kabel NN
160.	18/29	S550 114,13/111,73/ 111,83	7,30	114,13/111,95	Ist. sieć gazowa D63 Ist. kable NN Ist. kabel tel.
161.	18/77	S550 114,13/111,73/ 111,83	4,70	114,13/111,90	Ist. sieci: wodoc. + gaz + telef. + kabel NN
162.	18/76	S551 114,15/111,83/ 111,93	5,00	114,15/111,98	Jw.

L.p.	Działka - nr	Sx Rz.z/Rz.d/Rz.w-Rz.w1	Dł. przył. (m)	Gy Rz.y/Rz.x	Uwagi - kolizje
163.	18/28	S551 114,15/111,83/ 111,93	7,00	114,15/112,00	Ist. sieć gazowa D63 Ist. kable NN Ist. kabel tel.
164.	18/75	S552 114,16/111,86/ 111,96	5,80	114,16/112,01	Ist. sieci: wodoc. + gaz + telef. + kabel NN
165.	18/27	S552 114,16/111,86/ 111,96	7,00	114,16/112,03	Ist. sieć gazowa D63 Ist. kable NN Ist. kabel tel.
166.	18/74	S553 114,17/111,89/ 111,99	5,10	114,17/112,04	Ist. sieci: wodoc. + gaz + telef. + kabel NN
167.	18/101	S553 114,17/111,89/ 111,99	6,90	114,17/112,06	Ist. sieć gazowa D63 Ist. kable NN Ist. kabel tel.
168.	18/73	S554 114,18/111,93/ 112,03	5,00	114,18/112,08	Ist. sieci: wodoc. + gaz + telef. + kabel NN
169.	18/25	S554 114,18/111,93/ 112,03	7,00	114,18/112,10	Ist. sieć gazowa D63 Ist. kable NN Ist. kabel tel.
170.	18/72	S555 114,19/111,97/ 112,07	5,10	114,19/112,13	Ist. sieci: wodoc. + gaz + telef. + kabel NN
171.	18/71	S556 114,20/112,00/ 112,10	5,00	114,20/112,15	Jw.
172.	18/23	S556 114,20/112,00/ 112,10	7,20	114,20/112,17	Ist. sieć gazowa D63 Ist. kable NN Ist. kabel tel.
173.	18/70	S557 114,35/112,22/ 112,32	5,00	114,35/112,37	Ist. sieci: wodoc. + gaz
174.	18/22	S557 114,35/112,22/ 112,32	7,40	114,35/112,40	Ist. sieć gazowa D63 Ist. kable NN Ist. kabel tel.
175.	18/21	S558 114,45/112,31/ 112,41	7,30	114,45/112,49	Jw.
176.	18/68	S559 114,60/112,40/ 122,50	4,70	114,60/122,55	Ist. sieci: wodoc. + gaz + kabel NN
177.	18/20	S559 114,60/112,40/ 122,50	7,30	114,60/122,570	Ist. sieć gazowa D63 Ist. kable NN Ist. kabel tel.
178.	18/19	S560 114,64/112,44/ 112,54	7,30	114,64/112,58	Jw.

L.p.	Działka - nr	Sx Rz.z/Rz.d/Rz.w-Rz.w1	Dł. przył. (m)	Gy Rz.y/Rz.x	Uwagi - kolizje
179.	18/66	S561 114,68/112,48/ 112,58	4,60	114,68/112,63	Ist. sieci: wodoc. + gaz + kabel NN
180.	18/65	S562 114,71/112,51/ 122,82	4,5	114,71/122,87	Jw.
181.	18/64	S563 114,80/112,60/ 112,70	4,20	114,80/112,74	Jw.
182.	18/18	S563 114,80/112,60/ 112,70	7,80	114,80/112,78	Ist. kabel tel. Ist. kable NN Ist. sieć gazowa D63
183.	18/17	S5564 114,94/112,74/ 112,84	7,70	114,94/112,92	Jw.
184.	18/110	S5564 114,94/112,74/ 112,84	3,90	114,94/112,88	Ist. sieci: wodoc. + gaz + kabel NN
185.	18/62	S565 115,08/112,88/ 112,98	4,40	115,08/113,03	Ist. sieci: wodoc. + gaz + kabel NN
186.	18/?	S566 115,16/112,92/ 113,02	4,90	115,16/113,07	Ist. kabel tel. Ist. kable NN Ist. sieć gazowa D63
187.	18/60	S567 115,23/112,99/ 113,09	4,40	115,23/113,14	Ist. sieci: wodoc. + gaz + kabel NN
188.	18/95	S567 115,23/112,99/ 113,09	7,70	115,23/113,17	Ist. kabel tel. Ist. kable NN Ist. sieć gazowa D63
189.	18/59	S568 115,50/113,08/ 113,18	4,30	115,50/113,23	Ist. sieci: wodoc. + gaz + kabel NN
190.	18/13	S568 115,50/113,08/ 113,18	7,70	115,50/113,15	Ist. kabel tel. Ist. kable NN Ist. sieć gazowa D63
191.	18/12	S568a 115,70/113,20/ 113,30	7,70	115,70/113,38	Ist. kabel tel. Ist. kable NN Ist. sieć gazowa D63
192.	18/58	S569 115,70/113,23/ 113,33	4,60	115,70/113,38	Ist. sieci: wodoc. + gaz + kabel NN
193.	18/106	S570 115,77/113,28/ 113,38	5,40	115,77/113,43	Jw.
194.	18/11	S570 115,77/113,28/ 113,38	7,60	115,77/113,46	Ist. kabel tel. Ist. kable NN Ist. sieć gazowa D63

L.p.	Działka - nr	Sx Rz.z/Rz.d/Rz.w-Rz.w1	Dł. przył. (m)	Gy Rz.y/Rz.x	Uwagi - kolizje
195.	18/56	S571 115,83/113,33/ 113,43	6,50	115,83/113,50	Ist. sieci: wodoc. + gaz + kabel NN
196.	18/9	S572 115,92/113,40/ 113,50	7,70	115,92/113,48	Ist. kabel tel. Ist. kable NN Ist. sieć gazowa D63
197.	18/8	S573 115,96/113,43/ 113,53	7,90	115,96/113,61	Jw.
198.	18/54	S573 115,96/113,43/ 113,53	4,40	115,96/113,60	Ist. sieci: wodoc. + gaz + kabel NN
199.	18/53	S573a 116,02/113,48/ 113,58	4,30	116,02/113,63	Ist. sieci: wodoc. + gaz + kabel NN
200.	18/6	S574 116,10/113,55/ 113,65	7,70	110,10/113,73	Ist. kabel tel. Ist. kable NN Ist. sieć gazowa D63
201.	18/5	S575 116, 06/113,60/ 113,70	8,10	116,06/113,78	Jw.
202.	18/52	S575 116,06/113,60/ 113,70	3,90	116,06/113,74	Ist. sieci: wodoc. + gaz + kabel NN
203.	18/51	S576 115,98/113,65/ 113,70	3,80	116,02/113,74	Jw.
204.	18/49	S577 115,92/113,73/ 113,83	3,60	116,02/113,87	Jw.
205.	18/48	S578 115,90/113,81/ 113,91	3,60	115,90/113,95	Jw.
206.	18/47	S579 115,90/113,83/ 113,83	3,60	115,90/113,87	Jw.
207.	18/35	S535 113,77/111,48/ 111,53	4,20	113,77/111,58	Ist. sieć gazowa D63 Ist. Wodoc. Ist. kable NN
208.	18/36	S536 113,80/111,52/ 111,57	4,20	113,80/111,62	Jw.
209.	18/37	S537 113,86/111,57/ 111,62	4,20	113,86/111,67	Jw.
210.	18/38	S538 113,88/111,60/ 111,65	4,20	113,88/111,70	Jw.

L.p.	Działka - nr	Sx Rz.z/Rz.d/Rz.w-Rz.w1	Dł. przył. (m)	Gy Rz.y/Rz.x	Uwagi - kolizje
211.	18/39	S539 113,90/111,64/ 111,69	4,20	113,90/111,74	Jw.
212.	18/40	S540 113,95/111,67/ 111,72	4,20	113,95/111,77	Jw.
213.	18/41	S541 114,14/111,78/ 111,88	4,30	114,14/111,92	Jw.
214.	18/42	S542 114,20/111,82/ 111,87	4,30	114,20/111,92	Jw.
215.	18/43	S543 114,28/111,86/ 111,92	4,30	114,28/111,97	Jw.
216.	18/44	S544 114,35/111,90/ 111,95	4,30	114,35/112,00	Jw.
Tabela przyłączy kanalizacji sanitarnej dla m. Boryszewo Stare					
217.	95/2	S437 108,90/106,75/106,85- 107,50	13,50	108,90/107,64	wodociąg 110 kabel NN
218.	93/21	S437a 109,50/106,82/106,92- 108,31	4,50	109,50/108,36	-----
219.	93/43	S438 109,70/106,86/106,96- 108,35	7,90	109,70/108,43	wodociąg 110
220.	93/20	S439 109,70/106,89/106,99- 108,40	4,40	109,70/108,45	kabel tele.
221.	93/42	S439a 109,70/106,94/107,04- 108,40	7,80	109,70/108,48	kabel tele. kabel NN wodociąg 110
222.	93/41	S440 109,70/106,97/107,07- 108,37	7,80	109,70/108,45	kabel tele. kabel NN wodociąg 110
223.	93/19	S440a 109,70/106,99/107,09- 108,40	4,70	109,70/108,45	-----
224.	93/18	S441 109,70/107,05/107,15- 108,41	5,40	109,70/108,47	-----
225.	93/42	S441 109,70/107,05/107,15- 108,37	6,90	109,70/108,44	kabel tele. kabel NN wodociąg 110

L.p.	Działka - nr	Sx Rz.z/Rz.d/Rz.w-Rz.w1	Dł. przył. (m)	Gy Rz.y/Rz.x	Uwagi - kolizje
226.	93/17	S442 109,40/107,13/107,23- 108,10	4,80	109,40/108,15	-----
227.	93/39	S442 109,40/107,13/107,23- 108,07	7,40	109,40/108,15	kabel tele. kabel NN wodociąg 110
228.	93/16	S443 109,40/107,20/107,30- 108,10	4,70	109,40/108,15	-----
229.	93/38	S443 109,40/107,20/107,30- 108,08	7,60	109,40/108,16	kabel tele. kabel NN wodociąg 110
230.	93/37	S443a 109,35/107,23/107,33- 108,03	7,80	109,35/108,11	kabel tele. kabel NN wodociąg 110
231.	93/15	S444 109,30/107,27/107,37- 108,00	4,50	109,30/108,05	-----
232.	93/14	S445 109,50/107,34/107,44- 108,20	4,40	109,50/108,25	-----
233.	93/36	S445 109,50/107,34/107,44- 108,18	7,90	109,50/108,26	kabel tele. kabel NN wodociąg 110
234.	93/13	S446 109,50/107,40/107,50- 108,20	4,40	109,50/108,25	-----
235.	93/35	S446 109,50/107,40/107,50- 108,17	8,10	109,50/108,26	kabel tele. kabel NN wodociąg 110
236.	93/12	S446a 109,50/107,45/107,55- 108,21	4,30	109,50/108,25	-----
237.	93/34	S447 109,50/107,48/107,58- 108,18	8,20	109,50/108,27	kabel tele. kabel NN wodociąg 110
238.	93/11	S448 109,70/107,54/107,64- 108,41	3,60	109,70/108,45	-----
239.	93/33	S448 109,70/107,54/107,64- 108,36	8,20	109,70/108,45	kabel tele. kabel NN wodociąg 110
240.	93/10	S449 110,00/107,62/107,72- 108,69	4,20	110,00/108,74	-----
241.	93/32	S449 110,00/107,62/107,72- 108,67	8,20	110,00/108,76	kabel tele. kabel NN wodociąg 110

L.p.	Działka - nr	Sx Rz.z/Rz.d/Rz.w-Rz.w1	Dł. przył. (m)	Gy Rz.y/Rz.x	Uwagi - kolizje
242.	93/9	S450 110,10/107,70/107,80- 108,80	4,20	110,10/108,85	-----
243.	93/31	S450 110,10/107,70/107,80- 108,78	8,20	110,10/108,87	kabel tele. kabel NN wodociąg 110
244.	93/30	S451 110,20/108,00/108,10- 108,88	8,10	110,20/108,97	kabel tele. kabel NN wodociąg 110
245.	93/8	-----	---	-----	bez przyłącza
246.	93/7	S436 110,30/108,39/108,39	4,3	110,30/108,43	-----
247.	93/29	S436 110,30/108,39/108,49	8,20	110,30/108,58	kabel tele. kabel NN wodociąg 110
248.	93/6	S435 110,45/108,32/108,42- 109,16	4,30	110,45/109,21	-----
249.	93/28	S435 110,45/108,32/108,42	8,00	110,45/108,84	kabel tele. kabel NN wodociąg 110
250.	93/5	S434 110,20/108,21/108,31- 108,90	3,80	110,20/108,94	-----
251.	93/27	S434 110,20/108,21/108,31- 108,87	8,50	110,20/108,96	kabel tele. kabel NN wodociąg 110
252.	93/4	S433 110,10/108,18/108,28- 108,80	3,80	110,10/108,84	-----
253.	93/26	S433 110,10/108,18/108,28- 108,78	8,50	110,10/108,89	kabel tele. kabel NN wodociąg 110
254.	93/3	S432 109,80/108,07/108,17	3,80	109,80/108,33	-----
255.	93/25	S432 109,80/108,07/108,17	8,80	109,80/108,54	kabel tele. kabel NN wodociąg 110
256.	93/2	S431a 109,80/108,06/108,16	3,80	109,80/108,31	-----
257.	93/24	S431 109,80/108,01/108,11	8,80	109,80/108,30	kabel NN wodociąg 110
258.	128/1	S647 107,20/104,82/104,92	---	-----	studnia na działce
259.	129	S654 110,70/108,60/108,70- 109,46	1,40	110,70/109,48	-----
260.	132	S658 117,60/111,29/111,39	---	-----	studnia na działce

L.p.	Działka - nr	Sx Rz.z/Rz.d/Rz.w-Rz.w1	Dł. przył. (m)	Gy Rz.y/Rz.x	Uwagi - kolizje
261.	131	S662 115,50/111,84/111,94- 114,08	7,00	115,50/114,15	-----
262.	134	S663 115,00/112,05/112,15- 113,31	5,20	115,00/113,37	-----
263.	135	S664 114,30/112,16/112,17- 113,69	3,00	114,30/113,72	-----
264.	136/2	S665 114,30/112,32/112,42- 113,03	3,00	114,30/113,06	-----
265.	138/2	S667 115,20/113,28/113,38- 114,06	2,50	115,20/114,09	-----
266.	139	S669 116,90/114,24/114,34	3,10	116,90/115,60	przewód tłoczny D63 długość 99,80m
267.	140	S671 117,30/114,69/114,79	2,40	116,90/114,81	-----
268.	142/2	S674 118,15/115,26/115,36- 116,85	3,00	118,15/116,88	-----
269.	170	S674 118,15/115,26/115,36- 116,91	1,30	118,15/116,93	-----
270.	143	S675 118,40/115,44/115,54- 117,42	2,70	118,40/117,45	-----
271.	145	S678 119,20/116,00/116,10- 118,09	5,20	119,20/118,15	-----
272.	146	S681 119,80/116,60/116,70- 117,95	4,70	119,80/118,00	-----
273.	147	S683 119,70/117,90/117,90	5,20	119,70/117,96	-----
274.	176	S687 119,90/118,66/118,66	4,70	119,90/118,71	-----
275.	96/32	S455 108,35/106,95/107,05	1,90	108,35/107,07	-----
276.	96/15	S456 109,70/107,10/107,20- 108,14	3,70	109,70/108,18	wodociąg 110 – proj.
277.	96/14	S457 110,30/107,25/107,35- 109,05	4,00	110,30/109,09	wodociąg 110 – proj.
278.	96/28	S457 110,30/107,25/107,35- 108,35	8,20	110,30/108,44	przewód tłoczny – proj.

L.p.	Działka - nr	Sx Rz.z/Rz.d/Rz.w-Rz.w1	Dł. przył. (m)	Gy Rz.y/Rz.x	Uwagi - kolizje
279.	96/13	S458 110,30/107,40/107,50- 108,99	3,70	110,30/109,03	wodociąg 110
280.	96/12	S459 110,45/107,54/107,64- 109,17	3,50	110,45/109,20	wodociąg 110
281.	96/26	S466 110,40/108,60/108,70- 109,16	0,70	110,40/109,17	-----
282.	96/27	S467 110,50/108,80/108,90- 109,25	2,00	110,50/109,27	-----
283.	96/11	S460 110,80/107,67/107,77- 109,51	4,00	110,80/109,55	wodociąg 110
284.	96/10	S461 110,90/107,75/107,85- 109,61	4,10	110,90/109,65	wodociąg 110
285.	96/20	S468a 111,20/109,03/109,13	4,40	111,20/109,13	wodociąg 110 kabel NN
286.	96/23	S468a 111,20/109,03/109,13- 109,90	7,50	111,20/109,98	-----
287.	96/51	S469 111,45/109,20/109,30- 109,93	4,40	111,45/109,98	-----
288.	96/24	S469 111,45/109,20/109,30- 110,15	7,70	111,45/110,23	-----
289.	96/9	S462 110,70/107,86/107,96- 109,36	3,70	110,70/109,40	wodociąg 110
290.	96/8	S463 110,40/108,05/108,15- 109,12	3,90	110,40/109,16	wodociąg 110
291.	96/16	S463 110,40/108,05/108,15- 109,10	7,80	110,40/109,18	przewód tłoczny
292.	96/18	S464 110,40/108,15/108,25- 109,10	7,80	110,40/109,18	przewód tłoczny
293.	96/7	S454 110,50/108,75/108,85	3,90	110,50/109,08	wodociąg 110
294.	96/19	S454 110,50/108,75/108,85	7,70	110,50/109,12	-----
295.	96/33	S453 110,80/108,64/108,74- 109,53	3,90	110,80/109,57	wodociąg 110
296.	96/4	S21 111,00/106,60/108,70-	1,30	111,00/109,75	włączenie do studni z pierwszego etapu

		109,73			
Uwagi: - dopuszczalny spadek przykanalika: minimalny 1 %; maksymalny 15 % - dla rury D160 PCV					